



The dnp Supernova Flex Classic is a traditional version of the award-winning dnp Supernova Flex Screen.

It offers the superior optical performance of a Supernova Flex Screen in a classic, retractable design.



dnp optical front  
projection screens

If you are looking for a flexible AV solution for meeting rooms and home entertainment, dnp Supernova Flex Classic is the answer. It combines revolutionary Supernova Screen technology with a proven design concept. Unlike the high-end dnp Supernova Flex Screen, which is suspended by wires, the Classic version is mounted with dark grey drop above the image area, allowing the retractable screen to be rolled down to the desired height.

dnp Supernova Flex Classic is fitted with high-contrast filters that absorb ambient light and deliver exceptionally clear images even in brightly lit surroundings – eliminating the need to darken the room. The screen is therefore ideal for bright meeting rooms and home entertainment applications in living rooms, which are often designed to maximize natural light.

The screen is operated from a remote control, and the noiseless electrical motor ensures that it slides up into its sleek housing quickly and easily.

The screen comes with a white housing, which can be mounted onto the wall or ceiling. It is easy to install, compatible with all standard projectors and comes with a IR remote control for easy operation.

- > Retractable optical dnp Supernova Screen in classic design
- > For on-wall or ceiling mounting
- > Front projection for environments with high ambient light
- > Best-in-class black-levels and perfect colour balance
- > High brightness uniformity
- > Noiseless retraction
- > Easy IR remote control operation
- > ISF-certified screen material

Application suitability	
Auditorium/sports arena	★ ★
Conference room	★ ★ ★ ★ ★ ★
Control room	★
TV studio	★ ★
Advertising – in-store	★ ★ ★ ★
Advertising – window display	★
Home entertainment – bright living room	★ ★ ★ ★ ★ ★
Home entertainment – darkened home theatre	★ ★ ★ ★

Product details					
Aspect ratio		16:10 format		16:9 format	
Screen size		100"	84"	100"	118"
Part no.	230V	5 100 7 000 26	5 084 6 000 26	5 100 6 000 26	5 118 6 000 26
Part no.	110 V	5 100 7 000 21	5 084 6 000 21	5 100 6 000 21	5 118 6 000 21
<b>Image area</b>					
Width	mm	2154	1860	2214	2612
Height	mm	1346	1046	1245	1469
Area	m2	2.90	1.95	2.76	3.84
Width	inches	84.8	73.2	87.2	102.8
Height	inches	53.0	41.2	49.0	57.9
Area	ft2	31.2	20.9	29.7	41.3
<b>Housing dimensions</b>					
Width	mm	2444	2150	2504	2902
Height	mm	95	95	95	95
Depth	mm	95	95	95	95
Width	inches	96.2	84.6	98.6	114.3
Height	inches	3.7	3.7	3.7	3.7
Depth	inches	3.7	3.7	3.7	3.7
<b>Shipping dimensions</b>					
Length	mm	2755	2460	2815	3215
Height	mm	200	200	200	200
Width	mm	210	210	210	210
Length	inches	108.5	96.9	110.8	126.6
Height	inches	7.9	7.9	7.9	7.9
Width	inches	8.3	8.3	8.3	8.3
<b>Weight</b>					
Screen (net)	kg	14	13	14	16
Shipping (gross)	kg	20	18	20	22
Screen (net)	lbs	31	28	31	35
Shipping (gross)	lbs	43	39	43	48
<b>Projection information</b>					
Minimum lens throw ratio	ltr	1.5:1	1.5:1	1.5:1	1.5:1
Minimum projection distance	mm	3231	2789	3321	3918
	ft	10.6	9.2	10.9	12.9

Subject to change without notice. Please check specifications at time of ordering.

## General information

Available screen material		08-85
Peak gain		0.8
Horizontal half-gain angle	°	85
Lens pitch	micron	65

Drop		
Maximum drop length (standard)	mm	600*
Maximum drop length (standard)	inches	23.6*

\* Fully adjustable from zero to max.

Masking frame		
Width	mm	50
Width	inches	2.0

Screen controls	
Standard	IR remote control + potential free contact closure (via RJ45 socket)

Motor options	Voltage (V~)	Freq. (Hz)	Power (W)	Current (A)	Speed (rpm)
Option 1	220-240	50	98	0.43	28
Option 2	100-120	60	102	0.85	33

Operating environment		
Temperature	°C	10-40
Temperature	°F	50-104
Humidity (non-condensing)	%RH	10-70

Housing	
Colour	White
Material	Aluminium

Mounting		to screen	to bottom bar
Distance from wall	mm	20	10
	inches	0.8	0.4

Included in the package  
Screen, IR remote control, power cord without plug, wall mounts, product guide

### Certificates



### Awards

dnp optical screens have won numerous awards including the Best Buzz Award at InfoComm, Honoree Awards at CES and the Exclte award at CEDIA US 2007.

